

Scattering matrix of elliptically polarized waves

M. Martínez-Mares and E. Castaño

*Departamento de Física, Universidad Autónoma Metropolitana-Iztapalapa,
Apartado Postal 55-534, México D.F., 09340, México.*

Recibido el 11 de junio de 2010; aceptado el 3 de septiembre de 2010

We analyze the scattering of elliptically polarized plane waves normally incident at the planar interface between two different materials; we consider two cases: dielectric-dielectric and dielectric-conductor interfaces. The scattering S matrix in both cases is obtained using the boundary conditions and Poynting's theorem. In the dielectric-dielectric case we write S using two different basis, the usual xy and a rotated one. For the dielectric-conductor interface, the use of the rotated basis together with an energy balance argument leads us, in a natural way, to construct a unitary S matrix after recognizing the need to introduce two equivalent parasitic channels due to dissipation in the conductor, and the transmission coefficient into these parasitic channels measures the absorption strength.

Keywords: Electromagnetic waves; scattering; polarization; absorption.

Analizamos la dispersión de ondas electromagnéticas que inciden normalmente sobre una interfaz plana entre dos diferentes materiales; consideramos dos casos: interfaz dieléctrico-dieléctrico e interfaz dieléctrico-conductor. En ambos casos obtenemos la matriz S al usar las condiciones de frontera y el teorema de Poynting. En el caso dieléctrico-dieléctrico escribimos a S usando dos diferentes bases, la usual xy y una rotada. Para la interfaz dieléctrico-conductor, el usar la base rotada junto con un argumento de balance de energía nos lleva, de manera natural, a construir un matriz S que es unitaria después de reconocer la necesidad de introducir dos canales parasíticos, equivalentes entre sí, que son debidos a la disipación en el conductor, siendo el coeficiente de transmisión hacia estos canales parasíticos la medida de la capacidad de absorción del conductor mismo.

Descriptores: Ondas electromagnéticas; dispersión; polarización; absorción.

PACS: 41.20.Jb; 42.25.Bs; 42.25.Fx; 42.25.Gy; 42.25.Ja

1. Introduction

The scattering of waves has attracted much attention even before being an object of scientific inquiry since the observation of these phenomena is fascinating and even pleasurable. Take for example, the observation of water waves moving on the surface of a pond, where diffraction and interference effects give origin to very interesting patterns. Nowadays, scattering phenomena are used in general to study how a wave and a target are transformed by their mutual interaction; in such a way that we extract very useful information about the structure of the target and the character of the wave itself [1,2].

In wave phenomena, either classical or quantum, the dispersion is mainly characterized, in an elegant and compact way, by the scattering S matrix, that describes the transformation of an incoming wave into an outgoing one due to the interactions with a particular target [3,4]. This has been used to discover the inner structure of many different objects ranging from macroscopic crystals, DNA molecules, down to systems of atomic and nuclear sizes, and even smaller dimensions [5,6].

In electromagnetic phenomena scattering is produced by variations, either in time or space, of the dielectric function; [7] if this function is real then S is unitary since the energy flux is conserved. However, in the presence of an energy sink the energy is not conserved as it happens in metals due to dissipation. In this case the dielectric function is complex and, therefore, S is a sub-unitary matrix. A large majority of the work on scattering has been done with unitary S matrices in problems where the flux is a conserved quantity, and

when dealing with problems where the flux is not conserved it then becomes natural to extend the S matrix to a unitary one by increasing its dimensions to include dissipation channels [8,10].

In a previous publication, [10] we addressed the scattering of linearly polarized plane waves with normal incidence at the planar interface of two media for two different cases, one with a dielectric-dielectric interface, and another with a dielectric-conductor interface. This was done using Poynting's theorem at the interface to define an S matrix; for the dissipative case, dielectric-conductor interface, the scattering matrix becomes sub-unitary, \tilde{S} , since the energy flux is not conserved. In this last case, we were able to write \tilde{S} as part of a unitary S matrix by the introduction of a single "parasitic channel" related to the energy dissipation in the conductor. However, that work only considered normal incidence of linearly polarized waves; in this work, we consider a more general case: elliptically polarized waves.

In order to be self contained, in the next section we summarize the main ideas concerning Poynting's theorem. In Sec. 3 we employ this theorem and the boundary conditions at the surface of two dielectrics to define a scattering matrix. Sec. 4 is devoted to the dielectric-conductor interface where Poynting's theorem helps us extend the sub-unitary scattering matrix to a unitary one.

2. Energy balance equation

Assuming a harmonic time dependence of the electric $\mathbf{E}(\mathbf{r}, t)$, magnetic $\mathbf{H}(\mathbf{r}, t)$, and density current $\mathbf{J}(\mathbf{r}, t)$ com-

plex fields, the time-averaged Poynting's theorem is given by the real part of the equation [10]

$$\nabla \cdot \mathbf{S}_P(\mathbf{r}) = -\frac{1}{2} \mathbf{J}(\mathbf{r}) \cdot \mathbf{E}^*(\mathbf{r}), \quad (1)$$

where

$$\mathbf{S}_P(\mathbf{r}) = \frac{1}{2} \mathbf{E}(\mathbf{r}) \times \mathbf{H}^*(\mathbf{r}) \quad (2)$$

is the time-averaged Poynting's vector. The right hand side of Eq. (1) is the negative of the time-averaged work done by the fields, per unit of volume and per unit of time, and represents the conversion of electromagnetic energy to thermal (or mechanical) energy. The integral of Eq. (1) over a volume V enclosed by a surface Σ gives (only the real part is physically relevant)

$$\Phi = -W, \quad (3)$$

where,

$$\Phi = \oint_{\Sigma} \mathbf{S}_P(\mathbf{r}) \cdot \hat{\mathbf{n}} \, da, \quad (4)$$

is the net flux Φ of $\mathbf{S}_P(\mathbf{r})$ through Σ , and

$$W = \frac{1}{2} \int_V \mathbf{J}(\mathbf{r}) \cdot \mathbf{E}^*(\mathbf{r}) \, dV, \quad (5)$$

is the time-averaged rate of work done by the fields if there are dissipative processes in the system.

2.1. Energy flux conservation

When there is no dissipation, $\mathbf{J} \cdot \mathbf{E}^* = 0$, and therefore W is zero, and the energy flux is conserved:

$$\Phi = 0. \quad (6)$$

This means that the net flux crossing into the system equals the one leaving it.

3. Dielectric-dielectric interface

3.1. Linear xy polarization basis

Lets take the xy -plane as the surface that separates two dielectrics with indices of refraction n and n' , as shown in Fig. 1. We consider a normally incident plane wave which is the superposition of two linearly polarized waves, one in the $\hat{\mathbf{x}}$ -direction and the other one in the $\hat{\mathbf{y}}$ -direction, what we call $x - y$ basis.

Therefore, the spatial part of the electric field for $z < 0$ is given by

$$\mathbf{E}(z) = (E_{ax}\hat{\mathbf{x}} + E_{ay}\hat{\mathbf{y}}) e^{ikz} + (E_{bx}\hat{\mathbf{x}} + E_{by}\hat{\mathbf{y}}) e^{-ikz}, \quad (7)$$

where $k = n\omega/c$; the subindex a denotes incoming waves and b outgoing ones. Since we are using an elliptically polarized wave we have that

$$E_{ax} = \alpha E_a \quad \text{and} \quad E_{ay} = \beta E_a e^{i\phi_a}, \quad (8)$$




FIGURE 1. Elliptically polarized waves normally incident at the planar separation between two dielectrics with indices of refraction n and n' .

where ϕ_a is the phase difference between x and y components, being α and β real numbers whose squares add up to one,

$$\alpha^2 + \beta^2 = 1; \quad (9)$$

E_a is the magnitude of the electric field of the incident plane wave for $z < 0$,

$$\mathbf{E}_a = E_{ax} \hat{\mathbf{x}} + E_{ay} \hat{\mathbf{y}}. \quad (10)$$

Similarly, on the right hand side, $z > 0$, we have that

$$\begin{aligned} \mathbf{E}'(z) &= (E'_{bx}\hat{\mathbf{x}} + E'_{by}\hat{\mathbf{y}}) e^{ik'z} \\ &+ (E'_{ax}\hat{\mathbf{x}} + E'_{ay}\hat{\mathbf{y}}) e^{-ik'z} \end{aligned} \quad (11)$$

where $k' = n'\omega/c$ and

$$E'_{ax} = \alpha' E'_a \quad \text{and} \quad E'_{ay} = \beta' E'_a e^{i\phi'_a}, \quad (12)$$

where ϕ'_a is the phase difference and E'_a is the magnitude of

$$\mathbf{E}'_a = E'_{ax} \hat{\mathbf{x}} + E'_{ay} \hat{\mathbf{y}}, \quad (13)$$

and α' and β' satisfy an equation equivalent to (9).

Equations (8) and (12) can be written in a matrix form

$$\begin{pmatrix} E_{ax} \\ E'_{ax} \end{pmatrix} = D_\alpha \begin{pmatrix} E_a \\ E'_a \end{pmatrix}$$

and

$$\begin{pmatrix} E_{ay} \\ E'_{ay} \end{pmatrix} = D_\beta \begin{pmatrix} E_a \\ E'_a \end{pmatrix}, \quad (14)$$

where

$$D_\alpha = \begin{pmatrix} \alpha & 0 \\ 0 & \alpha' \end{pmatrix}$$

and

$$D_\beta = \begin{pmatrix} \beta e^{i\phi_a} & 0 \\ 0 & \beta' e^{i\phi'_a} \end{pmatrix}, \quad (15)$$

which, in correspondence with Eq. (9) must satisfy the following condition

$$D_\alpha^2 + D_\beta^\dagger D_\beta = D_\alpha^2 + D_\beta D_\beta^\dagger = \mathbb{1}_2. \quad (16)$$

What we do next is to find the electric fields of the outgoing waves,

$$\mathbf{E}_b = E_{bx} \hat{\mathbf{x}} + E_{by} \hat{\mathbf{y}}, \quad (17)$$

$$\mathbf{E}'_b = E'_{bx} \hat{\mathbf{x}} + E'_{by} \hat{\mathbf{y}}, \quad (18)$$

in terms of the incoming ones.

Imposing the boundary conditions at the interface, $z = 0$, we obtain Fresnel's equations in a matrix form [10]

$$\begin{pmatrix} E_{bx} \\ E'_{bx} \\ E_{by} \\ E'_{by} \end{pmatrix} = \begin{pmatrix} S_F & | & 0_2 \\ 0_2 & | & S_F \end{pmatrix} \begin{pmatrix} E_{ax} \\ E'_{ax} \\ E_{ay} \\ E'_{ay} \end{pmatrix}, \quad (19)$$

where 0_2 is a 2×2 null matrix and S_F is a 2×2 matrix given by

$$S_F = \begin{pmatrix} -r_F & t'_F \\ t_F & -r'_F \end{pmatrix}, \quad (20)$$

where r_F (r'_F) and t_F (t'_F) are the reflection and transmission Fresnel coefficients for electric field waves incoming from the left (right), whose explicit form, in terms of the indices of refraction, are [7]

$$r_F = \frac{n' - n}{n' + n}, r'_F = -r_F, \quad (21)$$

$$t_F = \frac{2n}{n' + n}, t'_F = \frac{2n'}{n' + n}. \quad (22)$$

Following Ref. 10 we introduce renormalized electric field amplitudes given by

$$\begin{aligned} \mathcal{E}_{lm} &= \sqrt{n} E_{lm}, \mathcal{E}'_{lm} = \sqrt{n'} E'_{lm} \\ (l &= a, b; m = x, y). \end{aligned} \quad (23)$$

Therefore, Eq. (19) can now be rewritten as

$$\begin{pmatrix} \mathcal{E}_{bx} \\ \mathcal{E}'_{bx} \\ \mathcal{E}_{by} \\ \mathcal{E}'_{by} \end{pmatrix} = S_{xy} \begin{pmatrix} \mathcal{E}_{ax} \\ \mathcal{E}'_{ax} \\ \mathcal{E}_{ay} \\ \mathcal{E}'_{ay} \end{pmatrix}, \quad (24)$$

where

$$S_{xy} = \begin{pmatrix} S_2 & | & 0_2 \\ 0_2 & | & S_2 \end{pmatrix}, \quad (25)$$

with

$$S_2 = \begin{pmatrix} \sqrt{n} & 0 \\ 0 & \sqrt{n'} \end{pmatrix} S_F \begin{pmatrix} \frac{1}{\sqrt{n}} & 0 \\ 0 & \frac{1}{\sqrt{n'}} \end{pmatrix} \quad (26)$$

being the 2×2 scattering matrix for normal incidence of a single linearly polarized plane wave (it was named S in Ref. 10).

The scattering S_{xy} matrix defined in Eq. (24), is a 4×4 unitary and symmetric matrix because S_2 is itself a 2×2 unitary and symmetric matrix [10]. Therefore, flux conservation, as well as time inversion invariance, are fulfilled; S_{xy} is block diagonal since it is written in the basis of linear polarization, where the x and y components, called *channels* in the nomenclature of nuclear physics, are decoupled from each other. However, at this stage it is not completely clear how to recover the simpler result for a single linearly polarized wave; we remedy this by a change of basis as shown in the next subsection.

3.2. Rotated basis

From Eqs. (14) and (24) we have that

$$\begin{pmatrix} \mathcal{E}_{bx} \\ \mathcal{E}'_{bx} \\ \mathcal{E}_{by} \\ \mathcal{E}'_{by} \end{pmatrix} = \begin{pmatrix} S_2 D_\alpha & | & 0_2 \\ 0_2 & | & S_2 D_\beta \end{pmatrix} \begin{pmatrix} \mathcal{E}_a \\ \mathcal{E}'_a \\ \mathcal{E}_a \\ \mathcal{E}'_a \end{pmatrix}. \quad (27)$$

Now, if a $\pi/4$ -rotation is applied to the basis used up to now, by means of [13]

$$R_0 = \frac{1}{\sqrt{2}} \begin{pmatrix} \mathbb{1}_2 & \mathbb{1}_2 \\ -\mathbb{1}_2 & \mathbb{1}_2 \end{pmatrix}, \quad (28)$$

Eq. (27) becomes

$$\begin{pmatrix} \mathcal{E}_{b1} \\ \mathcal{E}'_{b1} \\ \mathcal{E}_{b2} \\ \mathcal{E}'_{b2} \end{pmatrix} = S' \begin{pmatrix} \sqrt{2} \mathcal{E}_a \\ \sqrt{2} \mathcal{E}'_a \\ 0 \\ 0 \end{pmatrix}, \quad (29)$$

where we have defined

$$\begin{pmatrix} \mathcal{E}_{b1} \\ \mathcal{E}'_{b1} \end{pmatrix} = \frac{1}{\sqrt{2}} \begin{pmatrix} \mathcal{E}_{by} \\ \mathcal{E}'_{by} \end{pmatrix} + \frac{1}{\sqrt{2}} \begin{pmatrix} \mathcal{E}_{bx} \\ \mathcal{E}'_{bx} \end{pmatrix}, \quad (30)$$

$$\begin{pmatrix} \mathcal{E}_{b2} \\ \mathcal{E}'_{b2} \end{pmatrix} = \frac{1}{\sqrt{2}} \begin{pmatrix} \mathcal{E}_{by} \\ \mathcal{E}'_{by} \end{pmatrix} - \frac{1}{\sqrt{2}} \begin{pmatrix} \mathcal{E}_{bx} \\ \mathcal{E}'_{bx} \end{pmatrix}, \quad (31)$$

and

$$S' = R_0 \begin{pmatrix} S_2 D_\alpha & | & 0_2 \\ 0_2 & | & S_2 D_\beta \end{pmatrix} R_0^T, \quad (32)$$

is a new scattering matrix. It is important to realize that S' does not have the familiar form of a scattering matrix, as can be seen from Eq. (29).

In a standard scattering matrix the 11 and 22 blocks relate the incoming amplitudes on one side to the outgoing ones in the same side; and the 12 and 21 blocks relate the incoming amplitudes on one side to the outgoing ones on the other side.

Since we want to keep the familiar and very useful interpretation of a scattering matrix we transform (29) by means of the following orthogonal transformation matrix

$$O = \begin{pmatrix} 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 1 \end{pmatrix}, \quad (33)$$

that rearranges the incoming vector in a way that can be more easily interpreted in scattering theory. Therefore, we obtain that

$$\begin{pmatrix} \mathcal{E}_{b1} \\ \mathcal{E}_{b2} \\ \mathcal{E}'_{b1} \\ \mathcal{E}'_{b2} \end{pmatrix} = S \begin{pmatrix} \sqrt{2}\mathcal{E}_a \\ 0 \\ \sqrt{2}\mathcal{E}'_a \\ 0 \end{pmatrix}, \quad (34)$$

where

$$S = OR_0 \left(\begin{array}{c|c} S_2 D_\alpha & 0_2 \\ \hline 0_2 & S_2 D_\beta \end{array} \right) R_0^T O^T, \quad (35)$$

is a scattering matrix whose dimension is twice the number of channels. This scattering matrix can now be directly identified as:

$$S = \begin{pmatrix} r & t' \\ t & r' \end{pmatrix}, \quad (36)$$

where r (r') and t (t') are immediately identified as the corresponding 2×2 reflection and transmission matrices, respectively, for incidence from the left (right); they are explicitly given by

$$r = \frac{n - n'}{n + n'} F, \quad t = \frac{2\sqrt{nn'}}{n + n'} F, \quad (37)$$

$$r' = -\frac{n - n'}{n + n'} F', \quad t' = \frac{2\sqrt{nn'}}{n + n'} F', \quad (38)$$

where

$$F = \frac{1}{2} \begin{pmatrix} \beta e^{i\phi_a} + \alpha & \beta e^{i\phi_a} - \alpha \\ \beta e^{i\phi_a} - \alpha & \beta e^{i\phi_a} + \alpha \end{pmatrix}, \quad (39)$$

$$F' = \frac{1}{2} \begin{pmatrix} \beta' e^{i\phi'_a} + \alpha' & \beta' e^{i\phi'_a} - \alpha' \\ \beta' e^{i\phi'_a} - \alpha' & \beta' e^{i\phi'_a} + \alpha' \end{pmatrix}. \quad (40)$$

Even though S satisfies flux conservation,

$$S^\dagger S = \mathbb{1}_4, \quad (41)$$

does not possess a time reversal invariance,

$$S \neq S^T, \quad (42)$$

where the superscript T denotes transposition. Also, since there is no specular symmetry we have that $r' \neq r$.

We ask the reader to interpret why S_{xy} is symmetric while S is not. (Suggestion: see the discussion leading to the derivation of Stoke's relations [11,12])

The reflection and transmission coefficients are now given by

$$R = \text{tr}(r r^\dagger) = \frac{(n - n')^2}{(n + n')^2} \quad (43)$$

$$T = \text{tr}(t t^\dagger) = \frac{4nn'}{(n + n')^2}, \quad (44)$$

where we used that $\text{tr}(FF^\dagger) = \text{tr}(F'F'^\dagger) = 1$, and we note that due to flux conservation

$$R + T = 1. \quad (45)$$

Given all this, we can write the electric fields, Eqs. (30) and (31), as

$$\mathbf{E}(z) = \frac{\sqrt{2}\mathcal{E}_a}{\sqrt{n}} \hat{\mathbf{e}}_1 e^{ikz} + \left(\frac{\mathcal{E}_{b1}}{\sqrt{n}} \hat{\mathbf{e}}_1 + \frac{\mathcal{E}_{b2}}{\sqrt{n}} \hat{\mathbf{e}}_2 \right) e^{-ikz} \quad (46)$$

$$\mathbf{E}'(z) = \frac{\sqrt{2}\mathcal{E}'_a}{\sqrt{n'}} \hat{\mathbf{e}}_1 e^{-ik'z} + \left(\frac{\mathcal{E}'_{b1}}{\sqrt{n'}} \hat{\mathbf{e}}_1 + \frac{\mathcal{E}'_{b2}}{\sqrt{n'}} \hat{\mathbf{e}}_2 \right) e^{ik'z}, \quad (47)$$

where we have introduced a new basis set of vectors

$$\hat{\mathbf{e}}_1 = \frac{1}{\sqrt{2}}(\hat{\mathbf{y}} + \hat{\mathbf{x}}) \quad \text{and} \quad \hat{\mathbf{e}}_2 = \frac{1}{\sqrt{2}}(\hat{\mathbf{y}} - \hat{\mathbf{x}}), \quad (48)$$

which plays an equivalent role to the basis used in Ref. 7 to discuss circular polarization.

We leave to the reader the analysis necessary to verify that S reduces to the linear polarization case studied in Ref. 10, as well as to study the circular polarization case.

4. Dielectric-conductor interface

We now study a different case. Lets assume that the media on the right side of the interface is a conductor with an electric conductivity σ , such that its refractive index is complex: $n' \rightarrow n' + i\eta'$, where n' and η' are the optical constants; [14] the corresponding wave number is also complex. In last section's treatment we replaced $k' \rightarrow k' + ik'$ where

$$k' = n'\omega/c \quad \text{and} \quad \kappa' = \eta'\omega/c. \quad (49)$$

On the dielectric side, from Eqs. (46) and (47) with $\mathcal{E}'_a = 0$ we have that

$$\mathbf{E}(z) = \frac{\sqrt{2}\mathcal{E}_a}{\sqrt{n}} \hat{\mathbf{e}}_1 e^{ikz} + \left(\frac{\mathcal{E}_{b1}}{\sqrt{n}} \hat{\mathbf{e}}_1 + \frac{\mathcal{E}_{b2}}{\sqrt{n}} \hat{\mathbf{e}}_2 \right) e^{-ikz} \quad (50)$$

$$\mathbf{E}'(z) = \left(\frac{\mathcal{E}'_{b1}}{\sqrt{n' + i\eta'}} \hat{\mathbf{e}}_1 + \frac{\mathcal{E}'_{b2}}{\sqrt{n' + i\eta'}} \hat{\mathbf{e}}_2 \right) e^{-\kappa'z} e^{ik'z}. \quad (51)$$

By definition, the scattering matrix relates the outgoing to the incoming plane wave amplitudes; therefore

$$\begin{pmatrix} \mathcal{E}_{b1} \\ \mathcal{E}_{b2} \end{pmatrix} = \tilde{S} \begin{pmatrix} \sqrt{2}\mathcal{E}_a \\ 0 \end{pmatrix}, \quad (52)$$

where

$$\tilde{S} = \frac{n - n' - i\eta'}{n + n' + i\eta'} F. \quad (53)$$

Note that now \tilde{S} describes the reflection back to the same side where the elliptically polarized planes waves are arriving in a normal direction to the interface; therefore, it is a 2×2 matrix with the following structure

$$\tilde{S} = \begin{pmatrix} \tilde{r} & \tilde{t}' \\ \tilde{t} & \tilde{r}' \end{pmatrix}, \quad (54)$$




FIGURE 2. On the right hand side, $z > 0$, there is a conductor with conductivity σ , and for $z < 0$ we have a dielectric. The arrows represent Poynting's vectors corresponding to the electric fields on the dielectric.

where now \tilde{r} (\tilde{r}') is the reflection amplitude when incidence is on the channel \hat{e}_1 (\hat{e}_2), and \tilde{t} (\tilde{t}') is the transmission amplitude from channel \hat{e}_1 (\hat{e}_2) to channel \hat{e}_2 (\hat{e}_1). Here, however, \hat{e}_1 is the only channel where incidence is possible. Note also that $\tilde{t}' = \tilde{t}$, such that

$$\tilde{S} = \tilde{S}^T, \quad (55)$$

since there is time reversal invariance. Since channels \hat{e}_1 and \hat{e}_2 are equivalent to each other, there is reflection symmetry for which $\tilde{r}' = \tilde{r}$. It is very important to realize that \tilde{S} is not unitary, and that according to Eq. (53), can be parametrized as

$$\tilde{S} = \sqrt{R} e^{i\theta} F, \quad (56)$$

where R is the reflection coefficient given by

$$R = \frac{(n - n')^2 + \eta'^2}{(n + n')^2 + \eta'^2}, \quad (57)$$

and θ is a measure of the phase shift between incoming and reflected waves, and satisfies

$$\tan \theta = \frac{-2n\eta'}{n^2 - n'^2 - \eta'^2}. \quad (58)$$

Lets see how an energy balance consideration impose restrictions on \tilde{S} . Consider a closed surface Σ consisting of a semi-infinite cylinder of cross section A , as shown in Fig. 2; in this case, Poynting's vectors are directed in the z -direction

and the energy flux takes place through A and not through the lateral surface. The energy balance, Eq. (3), is written as

$$\Phi_{b1} + \Phi_{b2} - \Phi_a = -W, \quad (59)$$

where, based on (2) and (4), [10]

$$\Phi_{bj} = \frac{1}{2\mu_0 c} |\mathcal{E}_{bj}|^2 A, \quad j = 1, 2, \quad (60)$$

$$\Phi_a = \frac{1}{2\mu_0 c} \left| \sqrt{2}\mathcal{E}_a \right|^2 A. \quad (61)$$

From Eq. (5), the rate of work made by the field is then given by

$$W = \frac{1}{2} \int_0^\infty \frac{\sigma}{\sqrt{n'^2 + \eta'^2}} \left(|\mathcal{E}'_{b1}|^2 + |\mathcal{E}'_{b2}|^2 \right) e^{-2\kappa z} A dz, \quad (62)$$

where we use the fact that $\mathbf{J}(z) = \sigma \mathbf{E}'(z)$; integrating we have that

$$W = \frac{\sigma A}{4\kappa \sqrt{n'^2 + \eta'^2}} \left(|\mathcal{E}'_{b1}|^2 + |\mathcal{E}'_{b2}|^2 \right). \quad (63)$$

Using Eqs. (60), (61) and (63), Eq. (59) gives

$$\begin{aligned} & (|\mathcal{E}_{b1}|^2 + |\mathcal{E}_{b2}|^2) - 2|\mathcal{E}_a|^2 \\ &= -\frac{\sigma \mu_0 c}{2\kappa \sqrt{n'^2 + \eta'^2}} (|\mathcal{E}'_{b1}|^2 + |\mathcal{E}'_{b2}|^2), \end{aligned} \quad (64)$$

which on a matrix form is written as

$$\begin{aligned} & \left(\sqrt{2}\mathcal{E}_a^* \quad 0 \right) (\tilde{S}^\dagger \tilde{S} - \mathbb{1}_2) \begin{pmatrix} \sqrt{2}\mathcal{E}_a \\ 0 \end{pmatrix} \\ &= -\frac{\sigma \mu_0 c}{2\kappa \sqrt{n'^2 + \eta'^2}} \begin{pmatrix} \mathcal{E}'_{b1}^* & \mathcal{E}'_{b2}^* \end{pmatrix} \begin{pmatrix} \mathcal{E}'_{b1} \\ \mathcal{E}'_{b2} \end{pmatrix}. \end{aligned} \quad (65)$$

Now, using Eq. (34) with $\mathcal{E}'_a = 0$ and $n' \rightarrow n' + i\eta'$ we can write that

$$\begin{pmatrix} \mathcal{E}'_{b1} \\ \mathcal{E}'_{b2} \end{pmatrix} = t \begin{pmatrix} \sqrt{2}\mathcal{E}_a \\ 0 \end{pmatrix}, \quad (66)$$

where [see Eqs. (37)]

$$t = \frac{2\sqrt{n(n' + i\eta')}}{n + n' + i\eta'} F. \quad (67)$$

Therefore, Eq. (65) is equivalent to

$$\tilde{S}^\dagger \tilde{S} + t_p^\dagger t_p = \mathbb{1}_2, \quad (68)$$

where

$$t_p = \sqrt{\frac{\sigma \mu_0 c}{2\kappa \sqrt{n'^2 + \eta'^2}}} t, \quad (69)$$

which can also be written as

$$t_p = \sqrt{T_p} e^{i\phi} F, \quad (70)$$

where now

$$T_p = \frac{4nn'}{(n + n')^2 + \eta'^2}, \quad (71)$$

and ϕ is given by

$$\tan \phi = -\frac{\eta'}{n + n'}. \quad (72)$$

Calculating the trace of Eq. (68) we obtain an expression that, in short, is equivalent to energy flux conservation

$$R + T_p = 1, \quad (73)$$

where R , the reflection coefficient, is the fractional amount of energy that is turned back into the dielectric, while T_p tell us the amount of energy dissipated or “lost” in the conductor to non propagating modes, what we call *parasitic channels* [8,10].

Hence, Eq. (68) can be seen as the unitarity condition for a 4×4 scattering S matrix that satisfies flux conservation, and is given by

$$S = \begin{pmatrix} \tilde{S} & t_p \\ t_p & S_{pp} \end{pmatrix}, \quad (74)$$

where the unitarity of S implies that

$$S_{pp} = -\frac{1}{t_p^\dagger} \tilde{S}^\dagger t_p = -\sqrt{1 - T_p} e^{i(2\phi - \theta)} F. \quad (75)$$

The lack of unitarity of \tilde{S} is then given by following expression

$$P = I_2 - \tilde{S}^\dagger \tilde{S} = t_p^\dagger t_p, \quad (76)$$

whose trace quantifies ohmic losses through an *absorption strength* parameter

$$\gamma = \text{tr} P = T_p, \quad (77)$$

where it must be emphasized that an ohmic loss takes place through parasitic channels in the language employed in scattering theory.

Therefore, the S -matrix given by Eq. (47) describes how the energy losses in the conductor can be interpreted as energy lost to parasitic channels characterized by the t_p matrix, where the coupling between the two media is described by the material constants of our model; in particular, in this work, for the elliptical polarization case. Even though we have two parasitic channels the total absorption is measured by a single parameter $\gamma = T_p$, that gives the same result previously obtained in the linear polarization case, which is expected since each polarization mode contributes just a fraction of the total energy flux.

-
1. F.S. Crawford Jr., *Berkeley Physics Course* Vol. 3 *Waves* (McGraw-Hill, New York, 1968).
 2. W.C. Elmore and M.A. Heald, *Physics of Waves* (Dover Publications, Inc., New York, 1969).
 3. R.G. Newton, *Scattering Theory of Waves and Particles* (Springer, New York, 1982).
 4. P.A. Mello and N. Kumar, *Quantum Transport in Mesoscopic Systems: Complexity and Statistical Fluctuations* (Oxford University Press Inc., New York, 2005).
 5. C. Kittel, *Introduction to Solid State Physics* 8th ed. (John Wiley & Sons, Inc., Hoboken NJ, 2005),
 6. N.W. Ashcroft and N.D. Mermin, *Solid State Physics* (Thomson Learning, Inc., Saunders, Philadelphia, 1976).
 7. J.D. Jackson, *Classical Electrodynamics* 3rd ed. (John-Wiley & Sons, Inc., New York, 1998).
 8. C.H. Lewenkopf, A. Müller, and E. Doron, *Phys. Rev. A* **45** (1992) 2635.
 9. P.W. Brouwer and C.W.J. Beenakker, *Phys. Rev. B* **55** (1997) 4695.
 10. V. Domínguez-Rocha, C. Zagoya, and M. Martínez-Mares, *Am. J. Phys.* **76** (2008) 621.
 11. M.A. Heald and J.B. Marion, *Classical Electromagnetic Radiation* 3rd ed. (Brooks Cole, Belmont, CA, 1994).
 12. E. Hecht, *Optics* 3rd ed. (Addison-Wesley, Reading, MA, 1998).
 13. V.A. Gopar, M. Martínez, P.A. Mello, and H.U. Baranger, *J. Phys. A: Mat. Gen.* **29** (1996) 881.
 14. J.R. Reitz, F.J. Milford, and R.W. Christy, *Foundations of Electromagnetic Theory* 4th ed. (Addison-Wesley Company, Inc. 1993).